IN THE CLAIMS

This listing of claims replaces all prior listings:

1. (Currently Amended) A field electron emission film on an electrode substrate, said field electron emission film used for a field electron emission electrode, comprising:

an ink; and

<u>a</u> carbon nanotube structural body of 0.001 to 40% by weight <u>and a heat-decomposable</u> <u>metal compound dispersed therein.</u>; and

a heat decomposition product obtained by heat decomposition of a heat decomposable metal compound

wherein,

said ink is coated and sintered on said surface of said electron substrate,

said heat-decomposable metal compound in said ink is decomposed to a heat decomposition product by sintering and

said heat decomposition product having an adhesive characteristic imparted by said sintering.

2. (Currently Amended) The field electron emission film as cited in according to claim 1, wherein,

said heat-decomposable metal compound is an organo-metallic compound.

3. (Currently Amended) The field electron emission film as eited in according to claim 1, wherein,

said heat-decomposable metal compound is <u>a metal</u> salt.

4. (Currently Amended) The field electron emission film as cited in according to claim 1, wherein.;

said heat-decomposable metal compound is an organo-metallic salt compound.

5. (Currently Amended) The field electron emission film as eited in according to claim 1, wherein.

said heat-decomposable metal compound is a metal complex.

6.(Currently Amended) The field electron emission film as cited in according to claim 1, wherein,

said <u>a heat-decomposable metal compound heat decomposition product</u> is composed of a plurality of metals.

7. (Currently Amended) The field electron emission film as eited in according to claim 6, wherein,

said plurality of metals are Sn and at least one metal <u>is</u> selected from the group consisting of In and Sb.

8. (Currently Amended) The field electron emission film as cited in according to claim 7, wherein,

said plurality of metals are Sn and In, and where the ratio of Sn to In is 6 at% or more.

- 9. (Currently Amended) The field electron emission film as eited in according to claim 1, wherein: a thickness of said field electron emission film is 0.05 μm to 20 μm.
 - 10. (Currently Amended) A field electron emission electrode of 2-pole type, comprising:

 a cathode and a field electron emission film sequentially formed on a support,

 a cathode on said support: and

 a field electron emission film on said cathode,

 wherein,;

support;

said field electron emission film emprises comprises an ink having 0.001 to 40% by weight of a carbon nanotube structural body of 0.001 to 40% by weight and a heat decomposition product obtained by heat decomposition of a heat-decomposable metal compound dispersed therein,

said ink is coated and sintered on said surface of said cathode,

said heat-decomposable metal compound in said ink is decomposed to a heat decomposition product by sintering and

said heat decomposition product having an adhesive characteristic imparted by said sintering.

11. (Currently Amended) A field electron emission electron of 3-pole type, comprising:

a cathode, an insulating film, and a gate electrode sequentially formed on a

a cathode on said support;

an insulating film on said cathode;

a gate electrode on said insulating film;

an first opening formed in common in the in said gate electrode;

a second opening in said insulating film and the gate electrode;

said first and second opening overlapping at least in part; and

a field electron emission film formed at least on the said cathode exposed in the opening,

wherein;

said field electron emission film comprises an ink having a carbon nanotube structural body of 0.001 to 40% by weight and a heat-decomposable metal compound dispersed therein,

said ink is coated and sintered on said surface of said cathode,

said heat-decomposable metal compound in said ink is decomposed to a heat decomposition product by sintering and

said heat decomposition product having an adhesive characteristic imparted by said

sintering said field electron emission film comprises 0.001 to 40% by weight of carbon

nanotube structural body and

a heat decomposition product obtained by heat decomposition of a heatdecomposable metal compound.

12. (Currently Amended) A field electron emission display device comprising:

a cathode <u>panel paned</u> having a plurality of field electron emission electrodes disposed thereon; and

an anode panel having a fluorescent layer and an anode disposed thereon, the both panels being bonded at the individual circumferential portions thereof; and,

a field electron emission film on said cathode panel,

wherein,

said field electron emission film comprises an ink having a carbon nanotube structural body of 0.001 to 40% by weight and a heat-decomposable metal compound dispersed therein.

said ink is coated and sintered on said surface of said cathode,

said heat-decomposable metal compound in said ink is decomposed to a heat decomposition product by sintering and

said heat decomposition product having an adhesive characteristic imparted by said sintering

wherein;

Response to March 25, 2008 Office Action Application No. 10/511,186 Page 6

said electrode as cited in claim 10 or 11 is used as the field electron emission electrode.